

Claims

What is claimed is:

- Sub
A2 >
1. Seed of maize inbred line designated PH7JD, representative seed of said line having been deposited under ATCC Accession No. _____.
 2. A maize plant, or parts thereof, produced by growing the seed of claim 1.
 3. The maize plant of claim 2, wherein said plant is male sterile.
 4. A tissue culture of regenerable cells from the plant of claim 2.
 5. A tissue culture according to claim 4, the cells or protoplasts being from a tissue selected from the group consisting of leaves, pollen, embryos, roots, root tips, anthers, silks, flowers, kernels, ears, cobs, husks, and stalks.
 6. A maize plant regenerated from the tissue culture of claim 4, capable of expressing all the morphological and physiological characteristics of inbred line PH7JD, representative seed of which have been deposited under ATCC Accession No. _____.
 7. A method for producing a first generation (F₁) hybrid maize seed comprising crossing the plant of claim 2 with a different inbred parent maize plant and harvesting the resultant first generation (F₁) hybrid maize seed.
 8. The method of claim 7 wherein the inbred maize plant of claim 2 is the female or male parent.
 9. An F₁ hybrid seed produced by crossing the inbred maize plant according to claim 2 with another, different maize plant.
 10. An F₁ hybrid plant, or parts thereof, grown from the seed of claim 9.
 11. The maize plant, or parts thereof, of claim 2, wherein the plant or parts thereof have been transformed so that its genetic material contains one or more transgenes operably linked to one or more regulatory elements.
 12. A method for producing a maize plant that contains in its genetic material one or more transgenes, comprising crossing the maize plant of claim 11 with either a second plant of another maize line, or a non-transformed maize plant of the line PH7JD, so that the genetic material of the progeny that result from the cross contains the transgene(s) operably linked to a regulatory element.
 13. Maize plants, or parts thereof, produced by the method of claim 12.
 14. A maize plant, or parts thereof, wherein at least one ancestor of said maize plant is the maize plant of claim 2, said maize plant expressing a combination of at least two PH7JD traits selected from the group consisting of: a relative maturity of approximately 101 based on the Comparative Relative Maturity Rating System for
- Sub
A3 >
- Sub
A4 >
- Sub
A5 >
- Sub
A6 >
- Sub
A7 >
- Sub
A8 >
- Sub
A9 >
- Sub
A10 >
- Sub
A11 >
- Sub
A12 >
- Sub
A13 >
- Sub
A14 >
- Sub
A15 >
- Sub
A16 >
- Sub
A17 >
- Sub
A18 >
- Sub
A19 >
- Sub
A20 >
- Sub
A21 >
- Sub
A22 >
- Sub
A23 >
- Sub
A24 >
- Sub
A25 >
- Sub
A26 >
- Sub
A27 >
- Sub
A28 >
- Sub
A29 >
- Sub
A30 >
- Sub
A31 >
- Sub
A32 >
- Sub
A33 >
- Sub
A34 >
- Sub
A35 >
- Sub
A36 >
- Sub
A37 >
- Sub
A38 >
- Sub
A39 >
- Sub
A40 >
- Sub
A41 >
- Sub
A42 >
- Sub
A43 >
- Sub
A44 >
- Sub
A45 >
- Sub
A46 >
- Sub
A47 >
- Sub
A48 >
- Sub
A49 >
- Sub
A50 >
- Sub
A51 >
- Sub
A52 >
- Sub
A53 >
- Sub
A54 >
- Sub
A55 >
- Sub
A56 >
- Sub
A57 >
- Sub
A58 >
- Sub
A59 >
- Sub
A60 >
- Sub
A61 >
- Sub
A62 >
- Sub
A63 >
- Sub
A64 >
- Sub
A65 >
- Sub
A66 >
- Sub
A67 >
- Sub
A68 >
- Sub
A69 >
- Sub
A70 >
- Sub
A71 >
- Sub
A72 >
- Sub
A73 >
- Sub
A74 >
- Sub
A75 >
- Sub
A76 >
- Sub
A77 >
- Sub
A78 >
- Sub
A79 >
- Sub
A80 >
- Sub
A81 >
- Sub
A82 >
- Sub
A83 >
- Sub
A84 >
- Sub
A85 >
- Sub
A86 >
- Sub
A87 >
- Sub
A88 >
- Sub
A89 >
- Sub
A90 >
- Sub
A91 >
- Sub
A92 >
- Sub
A93 >
- Sub
A94 >
- Sub
A95 >
- Sub
A96 >
- Sub
A97 >
- Sub
A98 >
- Sub
A99 >
- Sub
A100 >

Sub
P3
cont'd

harvest moisture of grain, high grain yield, good resistance to late season stalk lodging, above average stay green scores, above average cold test results, above average pollen shed, above average resistance to Northern Leaf Blight, above average resistance to Goss' Wilt, and adapted to the Northcentral region of the United States.

15. A method for developing a maize plant in a maize plant breeding program using plant breeding techniques, which include employing a maize plant, or its parts, as a source of plant breeding material, comprising: obtaining the maize plant, or its parts, of claim 2 as a source of said breeding material.

16. The maize plant breeding program of claim 15 wherein plant breeding techniques are selected from the group consisting of: recurrent selection, backcrossing, pedigree breeding, restriction fragment length polymorphism enhanced selection, genetic marker enhanced selection, and transformation.

17. A maize plant, or parts thereof, produced by the method of claim 15.

18. The maize plants, or parts thereof, of claim 2, further comprising one or more single gene conversions.

19. The single gene conversion(s) of claim 18, wherein the gene is a dominant allele.

20. The single gene conversion(s) of claim 18, wherein the gene is a recessive allele.

21. A maize plant, or parts thereof, having all the physiological and morphological characteristics of inbred line PH7JD, representative seed of said line having been deposited under ATCC accession No. _____.

22. The maize plant of claim 21, wherein said plant is male sterile.

23. A tissue culture of regenerable cells from the plant of claim 21.

24. A tissue culture according to claim 23, the cells or protoplasts being from a tissue selected from the group consisting of leaves, pollen, embryos, roots, root tips, anthers, silks, flowers, kernels, ears, cobs, husks, and stalks.

25. A maize plant regenerated from the tissue culture of claim 23, capable of expressing all the morphological and physiological characteristics of inbred line PH7JD, representative seed of which have been deposited under ATCC Accession No. _____.

26. A method for producing a first generation (F₁) hybrid maize seed comprising crossing the plant of claim 21 with a different inbred parent maize plant and harvesting the resultant first generation (F₁) hybrid maize seed.

0975765460

Sub A >
27. The method of claim 26 wherein the inbred maize plant of claim 21 is the female or male parent.

28. An F₁ hybrid seed produced by crossing the inbred maize plant according to claim 21 with another, different maize plant.

29. An F₁ hybrid plant, or parts thereof, grown from the seed of claim 28.

30. The maize plant, or parts thereof, of claim 21, wherein the plant or parts thereof have been transformed so that its genetic material contains one or more transgenes operably linked to one or more regulatory elements.

Sub A >
31. A method for producing a maize plant that contains in its genetic material one or more transgenes, comprising crossing the maize plant of claim 30 with either a second plant of another maize line, or a non-transformed maize plant of the line PH7JD, so that the genetic material of the progeny that result from the cross contains the transgene(s) operably linked to a regulatory element.

32. Maize plants, or parts thereof, produced by the method of claim 31.

33. A maize plant, or parts thereof, wherein at least one ancestor of said maize plant is the maize plant of claim 21, said maize plant expressing a combination of at least two PH7JD traits selected from the group consisting of: a relative maturity of approximately 101 based on the Comparative Relative Maturity Rating System for harvest moisture of grain, high grain yield, good resistance to late season stalk lodging, above average stay green scores, above average cold test results, above average pollen shed, above average resistance to Northern Leaf Blight, above average resistance to Goss' Wilt, and adapted to the Northcentral region of the United States.

34. A method for developing a maize plant in a maize plant breeding program using plant breeding techniques, which include employing a maize plant, or its parts, as a source of plant breeding material, comprising: obtaining the maize plant, or its parts, of claim 21 as a source of said breeding material.

35. The maize plant breeding program of claim 34 wherein plant breeding techniques are selected from the group consisting of: recurrent selection, backcrossing, pedigree breeding, restriction fragment length polymorphism enhanced selection, genetic marker enhanced selection, and transformation.

36. A maize plant, or parts thereof, produced by the method of claim 34.

Sub A >
37. A process for producing inbred PH7JD, representative seed of which have been deposited under ATCC Accession No. _____, comprising:

(a) planting a collection of seed comprising seed of a hybrid, one of

whose parents is inbred PH7JD said collection also comprising seed of said inbred;

- (b) growing plants from said collection of seed;
- (c) identifying said inbred PH7JD plants;
- (d) selecting said inbred PH7JD plant; and
- (e) controlling pollination in a manner which preserves the homozygosity of said inbred PH7JD plant.

38. The process of claim 37 wherein step (c) comprises identifying plants with decreased vigor.

39. The process of claim 37 wherein step (c) comprises identifying seeds or plants with homozygous genotype.

~~40.~~ A method for producing a PH7JD-derived maize plant, comprising:

- (a) crossing inbred maize line PH7JD, representative seed of said line having been deposited under ATCC Accession No. _____, with a second maize plant to yield progeny maize seed;
- (b) growing said progeny maize seed, under plant growth conditions, to yield said PH7JD-derived maize plant.

41. A PH7JD-derived maize plant, or parts thereof, produced by the method of claim 40, said PH7JD-derived maize plant expressing a combination of at least two PH7JD traits selected from the group consisting of : a relative maturity of approximately 101 based on the Comparative Relative Maturity Rating System for harvest moisture of grain, high grain yield, good resistance to late season stalk lodging, above average stay green scores, above average cold test results, above average pollen shed, above average resistance to Northern Leaf Blight, above average resistance to Goss' Wilt, and adapted to the Northcentral region of the United States.

42. The method of claim 40, further comprising:

- (c) crossing said PH7JD-derived maize plant with itself or another maize plant to yield additional PH7JD-derived progeny maize seed;
- (d) growing said progeny maize seed of step (c) under plant growth conditions, to yield additional PH7JD-derived maize plants;
- (e) repeating the crossing and growing steps of (c) and (d) from 0 to 5 times to generate further PH7JD-derived maize plants.

8/18/04
43. A further derived maize plant, or parts thereof, produced by the method of claim 42.

44. The method of claim 40, still further comprising utilizing plant tissue culture methods to derive progeny of said PH7JD-derived maize plant.

45. A PH7JD-derived maize plant, or parts thereof, produced by the method of claim 44, said PH7JD-derived maize plant expressing a combination of at least two PH7JD traits selected from the group consisting of : a relative maturity of approximately 101 based on the Comparative Relative Maturity Rating System for harvest moisture of grain, high grain yield, good resistance to late season stalk lodging, above average stay green scores, above average cold test results, above average pollen shed, above average resistance to Northern Leaf Blight, above average resistance to Goss' Wilt, and adapted to the Northcentral region of the United States.

46. The further PH7JD-derived maize plant, or parts thereof, of claim 43, wherein said further PH7JD-derived maize plant, or parts thereof, express a combination of at least two PH7JD traits selected from the group consisting of: a relative maturity of approximately 101 based on the Comparative Relative Maturity Rating System for harvest moisture of grain, high grain yield, good resistance to late season stalk lodging, above average stay green scores, above average cold test results, above average pollen shed, above average resistance to Northern Leaf Blight, above average resistance to Goss' Wilt, and adapted to the Northcentral region of the United States.

47. The maize plants, or parts thereof, of claim 21, further comprising one or more single gene conversions.

48. The single gene conversion(s) of claim 47, wherein the gene is a dominant allele.

49. The single gene conversion(s) of claim 47, wherein the gene is a recessive allele.